

# SEARCH HISTORY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	88	SDRAM and (output same driver) and SDR and DDR and (I/O or input/output) and (data with (I/O or input/output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:32
L2	18170	SDRAM andSDR and DDR and (I/O or input/output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:58
L3	3032	2 and (output same driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:28
L4	1499	3 and (data with (I/O or input/output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:28
L5	975	4 and switch\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:28
L6	249	5 and resistor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:29
L7	30	6 and (resistor\$1 with parallel\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:44
L8	2	7 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:29

L11	5	2 and kie-bong.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:32
L17	3227	2 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:44
L18	70	17 and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:44
L19	1	18 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 08:44
L21	2	7 and 365/233,189.05,189.11,193. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:53
L24	20	2 and koo.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:56
L25	3	2 and koo.in. and kie-bong.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:56
L26	1	(SDRAM and output and driver and SDR and DDR and (input adj output) and data and switch\$2 and resistor\$1 and parallel\$2 and (first near2 input/output) and (second near2 input/output) and pull-up and pull-down).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:57

L27	1	(SDRAM and (output same driver) and SDR and DDR and (I/O or input/output) and (data with (I/O or input/output)) and switch\$2 and (resistor\$1 near2 parallel\$2) and (first same input/output) and (second same input/output) and pull-up and pull-down).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:57
L28	3227	2 and "365"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:58
L29	2	28 and 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/25 09:58